

PATENT  
Attorney Docket No. VM7010742001  
Varian No. Varian 01-005US

**AMENDMENTS TO THE CLAIMS**

Please amend claims 20, 21, 27, 28, 39, and 46, as follow. A complete listing of the current pending claims is provided below.

1. (Previously Presented) A radiation method, comprising:  
illuminating an object with a first beam at a first energy level;  
determining a first image of the object formed by the first beam;  
determining configuration data using the first image;  
illuminating the object with a second beam at a second energy level;  
determining a second image of the object formed by the second beam;  
determining radiation absorption data using the second image; and  
determining a radiation treatment plan using the configuration data and the radiation absorption data  
wherein the radiation treatment plan is determined before or during a treatment session.
2. (Original) The method of claim 1, wherein the first energy level is a keV energy level, and the second energy level is a MeV energy level.
3. (Original) The method of claim 1, wherein the first beam and the second beam have low intensities.
4. (Original) The method of claim 1, wherein the first beam has an intensity between approximately 1 Rad and 20 Rad, and the second beam has an intensity between approximately 250 Rad and 1000 Rad.
5. (Original) The method of claim 1, wherein the second beam has a constant intensity during a session.
6. (Original) The method of claim 1, further comprising adjusting an intensity of the second beam during a session.

## PATENT

Attorney Docket No. VM7010742001

Varian No. Varian 01-005US

7. (Original) The method of claim 1, wherein the illuminating the object with the first beam and the illuminating the object with the second beam are performed in alternating pulses.
8. (Original) The method of claim 1, wherein the illuminating the object with the first beam and the illuminating the object with the second beam are performed sequentially.
9. (Original) The method of claim 1, wherein the determining configuration data comprises comparing data associated with the first image with data regarding configuration of the object specified in a treatment prescription.
10. (Original) The method of claim 1, wherein the determining radiation absorption data comprises calculating a radiation absorption rate in the object.
11. (Original) The method of claim 1, further comprising storing the configuration data and the radiation absorption data in a computer readable medium.
12. (Original) The method of claim 1, wherein the configuration data comprises one or a combination of location, size, and shape of the object.
13. (Original) The method of claim 1, wherein the radiation treatment plan is configured for use in a computed cone therapy.
14. (Previously Presented) A radiation system, comprising:
  - means for generating a first beam at a first energy level for illuminating an object;
  - means for determining a first image of the object formed by the first beam;
  - means for determining configuration data using the first image;
  - means for generating a second beam at a second energy level for illuminating the object;
  - means for determining a second image of the object formed by the second beam;
  - means for determining radiation absorption data using the second image; and

## PATENT

Attorney Docket No. VM7010742001

Varian No. Varian 01-005US

means for determining a radiation treatment plan using the configuration data and the radiation absorption data;

wherein the means for determining the radiation treatment plan determines the radiation treatment plan before or during a treatment session.

15. (Original) The system of claim 14, wherein the means for determining configuration data comprises means for comparing data associated with the first image with data regarding configuration of the object specified in a treatment prescription.

16. (Original) The system of claim 14, wherein the means for determining radiation absorption data comprises means for calculating a radiation absorption rate in the object.

17. (Original) The system of claim 14, further comprising means for storing the configuration data and the radiation absorption data.

18. (Previously Presented) A radiation method, comprising:  
illuminating an object with a beam at a MeV energy level;  
determining an image of the object formed by the beam;  
determining configuration data and radiation absorption data using the image; and  
determining a radiation treatment plan based on the configuration data and the radiation absorption data.

19. (Original) The method of claim 18, wherein the beam has a constant intensity during a session.

20. (Currently Amended) ~~The method of claim 18, further comprising~~ A radiation method, comprising:

illuminating an object with a beam at a MeV energy level;

determining an image of the object formed by the beam;

determining configuration data and radiation absorption data using the image;

## PATENT

Attorney Docket No. VM7010742001

Varian No. Varian 01-005US

determining a radiation treatment plan based on the configuration data and the radiation absorption data; and

adjusting an intensity of the beam during a session.

21. (Currently Amended) ~~The method of claim 18;~~ A radiation method, comprising:  
illuminating an object with a beam at a MeV energy level;  
determining an image of the object formed by the beam;  
determining configuration data and radiation absorption data using the image; and  
determining a radiation treatment plan based on the configuration data and the radiation absorption data;

wherein the determining configuration data comprises comparing data associated with the image with data regarding configuration of the object specified in a treatment prescription.

22. (Original) The method of claim 18, wherein the determining radiation absorption data comprises calculating a radiation absorption rate in the object.
23. (Original) The method of claim 18, further comprising storing the configuration data and the radiation absorption data in a computer readable medium.
24. (Original) The method of claim 18, wherein the configuration data comprises one or a combination of location, size, and shape of the object.
25. (Original) The method of claim 18, wherein the radiation treatment plan is configured for use in a computed cone therapy.
26. (Original) A radiation system, comprising:  
means for generating a beam at a MeV energy level for illuminating an object;  
means for determining an image of the object formed by the beam;  
means for determining configuration data and radiation absorption data using the image;  
and

PATENT

Attorney Docket No. VM7010742001

Varian No. Varian 01-005US

means for determining a radiation treatment plan using the configuration data and the radiation absorption data.

27. (Currently Amended) ~~The system of claim 26, further comprising~~ A radiation system, comprising:

means for generating a beam at a MeV energy level for illuminating an object;

means for determining an image of the object formed by the beam;

means for determining configuration data and radiation absorption data using the image;

means for determining a radiation treatment plan using the configuration data and the radiation absorption data; and

means for adjusting an intensity of the beam during a session.

28. (Currently Amended) ~~The system of claim 26, A radiation system, comprising:~~

means for generating a beam at a MeV energy level for illuminating an object;

means for determining an image of the object formed by the beam;

means for determining configuration data and radiation absorption data using the image;

and

means for determining a radiation treatment plan using the configuration data and the radiation absorption data;

wherein the means for determining configuration data comprises means for comparing data associated with the image with data regarding configuration of the object specified in a treatment prescription.

29. (Original) The system of claim 26, wherein the means for determining radiation absorption data comprises means for calculating a radiation absorption rate in the object.

30. (Original) The system of claim 26, further comprising means for storing the configuration data and the radiation absorption data.

31. (Previously Presented) A radiation process, comprising:

## PATENT

Attorney Docket No. VM7010742001

Varian No. Varian 01-005US

illuminating an object with a radiation beam at a MeV energy level;  
determining an image of the object formed by the radiation beam;  
determining radiation absorption data using the image; and  
determining a treatment plan based at least in part on the determined radiation absorption data;  
wherein the treatment plan is determined after the object is illuminated with the radiation beam.

32. (Canceled).

33. (Previously Presented) The process of claim 37, wherein the adjusting comprises one or a combination of changing a direction, a shape, and an intensity of the treatment beam.

34. (Original) The process of claim 31, further comprising determining configuration data for the object.

35. (Original) The process of claim 34, wherein the determining the configuration data comprises

illuminating the object with an image beam;  
determining an image formed by the image beam; and  
determining the configuration data using the image formed by the image beam.

36. (Previously Presented) The process of claim 34, wherein the treatment plan is determined based on the configuration data.

37. (Previously Presented) The process of claim 34, further comprising generating a treatment beam, and adjusting the treatment beam based on the configuration data.

38. (Previously Presented) The process of claim 34, further comprising gating delivery of radiation based on the configuration data.

## PATENT

Attorney Docket No. VM7010742001

Varian No. Varian 01-005US

39. (Currently Amended) ~~The process of claim 31, further comprising~~ A radiation process, comprising:

illuminating an object with a radiation beam at a MeV energy level;

determining an image of the object formed by the radiation beam;

determining radiation absorption data using the image; and

determining a treatment plan based at least in part on the determined radiation absorption

data;

wherein the treatment plan is determined after the object is illuminated with the radiation beam; and

verifying the treatment plan before illuminating the object with a treatment beam.

40. (Canceled)

41. (Canceled)

42. (Previously Presented) A radiation system, comprising:  
means for generating a radiation beam at a MeV energy level for illuminating an object;  
means for determining an image of the object formed by the radiation beam;  
means for determining radiation absorption data using the image; and  
means for determining a treatment plan based at least in part on the determined radiation absorption data;

wherein the means for determining the treatment plan is configured to determine the treatment plan after the object has been illuminated by the radiation beam.

43. (Original) The system of claim 42, further comprising means for determining configuration data for the object.

44. (Previously Presented) The system of claim 43, further comprising means for gating a delivery of radiation based on the configuration data.

PATENT

Attorney Docket No. VM7010742001

Varian No. Varian 01-005US

45. (Previously Presented) An apparatus for irradiating an object, comprising:  
a platform for supporting an object;  
a first beam source configured to generate a first radiation beam at a first intensity level  
and a second radiation beam at a second intensity level toward the platform;  
a beam adjuster in front of the first beam source for adjusting a radiation beam directed  
from the first beam source, the beam adjuster comprising a multi-leaf collimator;  
a projection detector configured to generate a first image of the object illuminated by the  
first radiation beam at the first intensity level; and  
a control module coupled to the projection detector and to the beam adjuster.
46. (Currently Amended) ~~The apparatus of claim 45, further comprising~~ An apparatus for  
irradiating an object, comprising:  
a platform for supporting an object;  
a first beam source configured to generate a first radiation beam at a first intensity level  
and a second radiation beam at a second intensity level toward the platform;  
a beam adjuster in front of the first beam source for adjusting a radiation beam directed  
from the first beam source, the beam adjuster comprising a multi-leaf collimator;  
a projection detector configured to generate a first image of the object illuminated by the  
first radiation beam at the first intensity level;  
a control module coupled to the projection detector and to the beam adjuster; and  
a second beam source configured to generate an image beam toward the platform,  
wherein the projection detector is further configured to generate a second image of the object  
illuminated by the image beam.
47. (Original) The apparatus of claim 45, wherein the control module is configured to  
develop a radiation treatment plan based on the first image.
48. (Original) The apparatus of claim 46, wherein the control module is configured to  
develop a radiation treatment plan based on one or both of the first image and the second image.



## PATENT

Attorney Docket No. VM7010742001

Varian No. Varian 01-005US

49. (Original) The apparatus of claim 45, wherein the control module is configured to adjust one or a combination of a shape, an intensity, and a direction of the second radiation beam.

50-53. (Canceled)

54. (Previously Presented) The apparatus of claim 45, wherein the first image is usable in determining a treatment plan.

55. (Previously Presented) The method of claim 1, wherein the determining the treatment plan comprises creating the treatment plan.

56. (Previously Presented) The method of claim 1, wherein the determining the treatment plan comprises modifying the treatment plan.

57. (Previously Presented) The method of claim 14, wherein the means for determining the treatment plan comprises means for creating the treatment plan.

58. (Previously Presented) The method of claim 14, wherein the means for determining the treatment plan comprises means for modifying the treatment plan.

59. (Previously Presented) The radiation method of claim 1, wherein the treatment session is a first treatment session.

60. (Previously Presented) The radiation system of claim 14, wherein the treatment session is a first treatment session.